

ICAR RESEARCH COMPLEX FOR GOA, ELA,  
( **Indian Council of Agricultural Research** )  
ELA, OLD GOA 403 402.

No.4(19)/ADVT/2010-Works.

Dated: 14.7.2010

To

The Advertising Manger,  
Gomantak Pvt. Ltd.,  
Gomantak Bhavan,  
Santa Cruz,  
Panaji, Goa.

The Advertising Manager,  
The Times of India Group,  
Vivienda de Hassan,  
Dayanand Bandodkar Marg,  
Miramar,  
Panaji Goa 403001.

The Advertising Manager,  
The Navhind Papers &  
Publications,  
Navhind Bhava,  
Rua Ismail Gracias,  
Panaji, Goa.

The Advertising Manager,  
Goa Publications Pvt. Ltd.,  
2<sup>nd</sup> Floor, Kamat Centre,  
D.B. Bandodkar Marg, Market,  
Panaji, Goa.

Sub:-Publication of tender notice – reg.

Sir,

Kindly find enclosed herewith a Tender Notice to be published in your daily on or before 18.7.2010. The same may be published in the reasonable small type set and occupying minimum possible space.

The advertisement charges bill in duplicate duly pre-receipted, stamped and completed in all respect along with **two copies of news paper** wherein the advertisement had been published in the rates approved by the DAVP for publications of Govt. advertisement, may be sent to this Institute for arranging payment.

The schedule date of insertion may be adhered strictly. Any delay or inability to publish the advertisement may please be brought to the notice of the undersigned immediately.

Yours faithfully,

Asst. Adm. Officer (Works)

Copy to:-

1. The Asst. Fin. & Accounts Officer, ICAR (RC), Old Goa.
2. In-charge ARIS Cell for putting in the Institute web site.

Asst. Adm. Officer (Works)

ICAR RESEARCH COMPLEX FOER GOA,  
ELA, OLD GOA 403 402.

Tender Notice No. 4(19)/ADVT/2010-Works

Sealed tenders are invited by the Director, ICAR Research Complex for Goa, Ela, Old Goa from the contractors registered with CPWD/PWD/Railway/MES/P&T etc., who have carried out civil works valuing Rs.5.00 lakhs or above in one single contract since the last 3 years, for undertaking the following works.

Sr. No.	Description of work	Estimated cost Rs.	Time of completion	Value of EMD Rs.	Cost of Tender paper Rs.
1.	Extension of Cattle Shed	3,03,903/-	2 months	6,078/-	300/-
2.	Maintenance of Guest House	2,74,130/-	2 months	5,483/-	300/-

Tender forms will be issued during office hours by the Asst. Adm. Officer (Works), ICAR(RC), Old Goa from 19.7.2010 to 30.7.2010 up to 4.00 PM on payment of non-refundable as indicated above, by cash or DD drawn in favour of ICAR Unit, ICAR Res. Complex. Tender forms will be issued only to those contractors who show proof of their registration etc. to the satisfaction of the officer issuing tender documents. The Tender form shall also be down loaded in our web site [www.icargoa.res.in](http://www.icargoa.res.in) for which the amount of Rs.300/- towards the cost of tender form should be deposited to this Institute before submitting the tender, failing which the tender will not be considered. Tenders shall be dropped in the **Tender Box** kept at this Institute up to 15.00 hours on 31.7.2010 and will be opened on the same day at 15.30 hours in the presence of the tenderers present.

Asst. Adm. Officer (Works)

**ICAR RESEARCH COMPLEX FOR GOA**  
(Indian Council of Agricultural Research)  
**ELA, OLD GOA 403 402.**

No.4(114)/R&M-PIG/2008-Works

Dated: 14.7.2010

**Tender Form No.....**

.....  
Full name & addresses of the Tenderer in :  
addition to Post Box No. if any should be  
Quoted in all communications to this office.

.....  
Telephone No./Fax No./E-mail address :  
Telegraphic address :

.....  
From:

.....  
.....  
.....

To

The Director,  
ICAR Research Complex for Goa,  
Ela, Old Goa – 403 402.

Sir,

I have read all the particulars regarding the general information and terms and conditions of the contract for the following works at ICAR Research Complex for Goa, and agree to carry out the works prescribed in the Tender No.4(19)/ADVT/2010-Works and as per the rates given in the Schedule I to this tender and I agree to hold this offer open till 3 months from 31.7.2010. I shall be bound by a communication of acceptance despatched within the prescribed time.

I have understood these terms and conditions for the tender and shall carry out the works strictly in accordance with the requirements.

The schedule-I & II accompanying this tender is at pages 2

The invitation to tender pages is at 3 & 4.

Description of works at Annexure – I..

Yours faithfully,

Signature of the Tenderer

Contd.....2

: 2 :

**ICAR RESEARCH COMPLEX FOR GOA**  
(Indian Council of Agricultural Research)  
**ELA, OLD GOA 403 402.**

Schedule – I

Schedule of Tender

1. Last date for receipt of Tender : 31.7.2010 (up to 15.00 hours).
2. Date of opening of Tender : 31.7.2010 at 15.30 hours

The tender shall remain open for acceptance for 30 days from the date of opening. The rates tendered will be valid for six months from the date of accepting the rates.

Sr. No.	Description of work	EMD	D.D. No., date and Name of Bank
1.	Extension of Cattle Shed	Rs.6,078/-	.....

\* Any other terms and conditions that the tenderer(s) would like to specify should form part of this schedule only.

**Schedule – II**

**Name of the work : Extension of Cattle Shed.**

I hereby declare that I have gone through the terms and conditions mentioned in the Tender Schedule and I hereby undertake that I will abide by the terms and conditions of the contract and as per the rates quoted by me is acceptable.

I have understood the above requirements.

Signature of the Tenderer/Contractor

Name:

Addresses:

Place:

Date:

.....3

**INTITATION TO TENDER**

Note: All communications must be addressed to the Director (by the designation), ICAR Research Complex for Goa, Ela, Old Goa – 403 402.

Telegraphic address : Research, Velha Goa.

- .....
1. Sealed tender for execution of work as per the specifications mentioned above is invited by the Director, ICAR Research Complex for Goa, Ela, Old Goa from the reputed agencies and registered Contractors so as to reach this office on or before 15.00 hours on 31.7.2010.
  2. The tender will be opened by the Committee constituted for the purpose at ICAR Research Complex for Goa, Ela, Old Goa at 15.30 hours on 31.7.2010 in the presence of the tenders or their representatives, if any.
  3. The tender should contain all specifications and all other requirements as per the tender specifications.
  4. Rate for each item of work may be quoted separately, in a detachable form, along with terms & conditions.
  5. The rate should remain valid for a period of at least (3) three months from the date of opening of the tender.
  6. The work should be done strictly under the direction and supervision of concerned Scientists/Officers.
  7. No farm implements will be supplied from this Institute to the contractors for the work.
  8. The entire work should be completed within 3 months from the date of issue of work order, unless specific reason is indicated and completion period is quoted in tender.
  9. The tenderer shall be responsible for the quality of work and any failure shall be at his own risk and cost.
  10. All scorings, erasures etc. on the tender form should be initialed by the tenderer.
  11. If the tenderer requires interpretation of any clause, the decision of the Director, ICAR Research Complex, Old Goa shall be final and abiding.
  12. The tenderer should give his full name and address along with a telephone/fax numbers etc.

: 4:

13. The tenderer is at liberty to be present himself or to depute his authorized representative to be present on scheduled date and time at the said office to witness the opening of the tender.
14. A copy of the terms and conditions duly signed by the tenderer should be submitted along with the tender in confirmation of compliance.
15. The tender must be accompanied by the photocopy of receipt of payment towards the cost of tender form/document.
16. Tender should be submitted in double cover addressed to the Director of this Complex. The inner cover containing the tender should be sealed properly and cover should be super scribed as Tender for **“Extension of Cattle Shed ” due date 31.7.2010.**
17. Successful tenderers have to deposit Security Money @ 10% of the total cost of work before starting the work which will be released only after satisfactory completion of work and production of pre-receipted claim for refund along with the original receipt. In case you fail to complete the work within the stipulated period with full satisfaction of the concerned officers, the amount so deposited will be forfeited and treated as receipt of ICAR.
18. After completion of the work, the bill in duplicate should be submitted to this office for payment. Payment will be made by Crossed Cheque/Demand Draft drawn in your favour on Canara Bank, Old Goa within 30 days of receipt of bill.
19. For any clarification, Asst. Adm. Officer (Works)/Works Section of the Institute be contacted on any working days during office hours.
20. The PAN No. along with a Xerox copy of the PAN Card of the Contractor should be enclosed along with the quotation. Without the same, the quotation will not be entertained and will be rejected.
21. The right to accept or reject any or all tenders without assigning any reason is reserved by the Director, ICAR Research Complex, Ela, Old Goa.

Signature

Asst. Adm. Officer (Works)

Place : Old Goa.

Date of issue:

I agree to abide by the conditions

Place :

Date of submission:

.....

Signature of Tenderer

**Extension of Cattle Shed:****ANNEXURE - I**

S. No.	Description of work	Unit	Quantity	Rate Rs. Ps.	Amount Rs. Ps.
1.	Earth work in excavation by mechanical means (hydraulic excavator)/manual means over areas (excluding 30cm depth, 1.5 m in width as well as 10 sq.m. on plan) including disposal of excavated earth lead upto 50 m and lift upto 1.5.m disposed earth to be leveled and neatly dressed including providing barricading, danger lighting guarding as directed by the department officer in charge a) All kind of soil	Cu. M.	27.700		
2.	Rubble packing with hard laterite stone under floors including watering ramming and consolidating etc. in pipeline trenches and other foundations complete	Cu. M.	19.800		
3.	Providing and laying cement concrete 1:4:8 ( 1 cement: 4 coarse sand ‘ 8 graded granitic a basaltic stone aggregate 40 mm nominal size) excluding cost of centering and shuttering and in: a) All works up to plinth level	Cu. M.	11.420		
4.	Providing and laying in position (1:2:4) reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement (1 cement: 2 coarse sand: 4 graded stone agg 20mm nominal size) i) All works up to plinth level	Cu. M.	3.180		
5.	GSR 2008 ANNEXURE – Providing and laying in position (1:2:4) reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement ( 1 cement: 2 coarse sand: 4 graded stone agg 20 mm nominal size. ii) In walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. up to floor five level				

		Cu. M.	1.110		
6.	Providing and laying in position (1:2:4) reinforced cement concrete excluding the cost of centering, shuttering, finishing and reinforcement ( 1 cement: 2 coarse sand: 4 graded stone agg 20 mm nominal size. iii) in beams, suspended floors, roofs having slope up to 156 landing, balconies, shelves, chajjas, intels, bands plain window sills, staircases up to floor five level	Cu. M.	0.480		
7.	Providing TMT steel reinforcement (Confirming to IS 1786 of 1986) for RCC work including bending, binding & placing in position in all the floors along with the factory made precast concrete cover blocks of specified sizes whose compressive strength is not less than that of surrounding concrete in the structural member.	Kg.	365.000		
8.	Centering & shuttering including Strutting, Propping & removal of forms for i) Foundations, Footing, Bases for columns	Sq. M.	9.360		
9.	GSR 2008 ANNEXURE – Centering & shuttering including Strutting, Propping & removal of forms for iii) Columns, Piers, Pillars, Aburments, Posts and struts (square rectangle polygon in plan)	Sq. M.	21.000		
10.	Centering & shuttering including Strutting, Propping & removal of forms for iv) Sides and Soffits of beams, Beam Haunchings Cantilever, Girders, Bressumers and Lintels plinth beams not exceeding 1m in depth	Sq. M.	6.900		
11.	Laterite masonry in neatly dressed stone of size as specified in cement mortar 1:5 ( 1 cement : 5 coarse sand) in foundation and basement.	Cu. M.	8.890		
12.	Laterite masonry in neatly dressed stones of size as specified in cement				

	mortar 1:5 (1 cement : 5 coarse sand) in superstructure	Cu. M.	12.980		
13.	Supplying and installation of flexible rubber delineators, with size at the top is 80mm dia and having height of 870mm and base dia 190mm with a provision for fixing with 3 nails and with 3 bands of 60mm reflective sheeting 50mm from the top with a gap of round 50mm (half round of the dia) A) 100 mm dia RCC pipe	R.M.	5.100		
14.	Providing and fixing precast reinforced concrete door frames of ASTRA make or equivalent in M25 grade concrete and reinforced with minimum three bars of 6 mm dia and conforming to IS:6523. The frames shall be manufactured in approved factory with all the necessary arrangements for fixing hinges, tower bolts by way of inserted PVC blocks and holes for receiving sliding bolts as specified Sectional size of frame with single rebate : 60 X 100 mm ii) 2100 X 900 mm	RM	5.100		
15.	Providing and fixing 35mm thick paneled glazed or paneled and glazed shutters for doors, windows and clerestory window including black enameled iron butt hinges with necessary screws. a) Second class Indian teak wood	Sq. M.	1.890		
16.	Providing and fixing anodized aluminium sliding windows with two sliding shutters 20 mm sections and 5 mm clear float glass	Sq. M.	2.400		
17.	Steel work welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of red lead paint. b) In tees angles flats and channels	Qtl.	3.770		
18.	Providing asbestos cement sheets roofings fixed with galvanized iron J or L hooks, bolts and nuts 8 mm dia. G.I. plain and bitumen washer complete excluding the cost of purlines rafters and trusses.				

		Sq. M.	68.000		
19.	Providing and fixing asbestos cement/PVC socketed half round eaves gutters with bolts, nuts, bitumen washers etc. and flat iron brackets 40 X 3 mm size including asbestos rope and plastic roofing compound in joints complete. a) 150 nominal size	Sq. M.	20.000		
20.	40mm thick red oxide flooring under layer of 30 mm thick cement concrete 1:2:4 ( 1 cement: 2 coarse sand : 4 graded stone aggregate 12.5mm nominal size) and top layer of 10 mm thick plaster of cement red oxide mix using 3.5 kg. of red oxide of iron per 50 kg. of cement 1:3 ( 1 cement : 3 coarse sand) finished with floating coat of neat cement red oxide mix of same proportion.	Sq. M.	21.300		
21.	Cement concrete flooring 1:2:4 ( 1 cement: 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement. a) 40mm thick	Sq. M.	21.300		
22.	Providing 25 mm thick cuddapah slabs machine cut and polished on either side in partitions including making necessary grooves in the wall and fixing with cement mortar, complete as directed by the engineer-in-charge	Sq. M.	5.000		
23.	Providing and fixing prefabricated compound gate of G.I. pipes 40 – 50 mm dia. (Medium) with 12 mm M.S. square bars of G.I. pipes grill work as per drawing including providing and fixing and locking arrangements pintals and holdfast embedded in cement concrete 1:2:4 ( 1 cement: 2 coarse sand : 4 granitic or basaltic stone 20 mm nominal size) including applying priming coat with ready mixed red lead [paint and painting 2 or more coats with superior ready mixed paint of approved brand and manufacture in all shades as per direction complete	Sq. M.	1.800		
24.	12 mm cement plaster 1:5 ( 1 cement : 5 coarse sand)	Sq. M.	132.880		
25.	White washing with whiting on new work (three or more coats to give an even shade	Sq. M.	132.880		

26.	Distemping with two or more coats with oil bound washable distemper of approved brand and manufacture and of required shade on new work over and including priming coat with distemper primer of approved brand and manufacture to give an even shade	Sq. M.	32.330		
27.	Finishing wall with superior quality waterproofing cement paint (super shade snowcem or equivalent) required shade on new work (three or more coats) to give an even shade	Sq. M.	103.000		
	TOTAL				